



**Wireless Rechargeable
vertical mouse**



V638

User Manual

Introduction

Thank you for choosing J-Tech Digital's V638 wireless rechargeable vertical mouse with removable palm rest. Its ergonomic volute bionic design is intended to alleviate "mouse hand" and other hand/wrist stress and discomfort. The V638 has a different shape, it functions just like a traditional mouse. For the best results, please read the user guide carefully before using this product.

Button Function



Package Contents:

- 1 x Wireless Vertical Mouse
- 1 x Removable Palm Rest
- 1 x User Manual
- 1 x USB Nano Receiver
- 1 x USB Charging Cable

NOTE: The battery should be charged for at least 2 hours before being used for the first time. When the LED light is on, the battery is charging; the light goes off once the battery is fully charged.

Features:

- Ergonomic "handshake" design reduces wrist/hand strain
- Works on most non-metallic surfaces: mouse pad, wood, glass, plastic, etc
- Non-skid, anti-sweat removable Palm Rest
- Rechargeable 800mA lithium battery

Convenient thumb buttons

Button functionality can be changed and reassigned using third party software such as X-Mouse Button Control

USB Dongle Transceiver to connect wirelessly to your computer

Adjustable DPI - switch between 800, 1200, 1600 and 3200 to adjust responsiveness

Optical Tracking Technology ensures greater sensitivity for precise tracking on a wide range of surfaces

Compatible with Windows 7/8/10, XP, Vista 7/8, Linux, etc

RGB LED light

- ON/OFF button
- 360 degree signal

Installation, Connection and Use:

Charge the battery

Turn on the mouse (on/off switch located on bottom of mouse)

Attach palm rest (optional)

Plug the USB nano receiver into the USB port of your computer. Once the computer recognizes the mouse, you're ready to use.

(Turn the mouse OFF when not in use.)

NOTE: Using the mouse on a lighter colored surface uses less power than on a darker colored surface.

Specifications:

Version 2.4G Wireless Rechargeable Vertical Mouse

Interface	USB Nano Receiver
DPI Resolution Polling	800-1200-1600-3200
Polling Rate	250Hz
Working voltage	3V
Working current	25mA

Why a Wireless Vertical Mouse?

There are many advantages to using a wireless vertical mouse:

No cables to mess with

Ergonomic hand design reduces overall muscle use while operating a mouse, allowing for smoother movement and reduced strain on the wrist

Reduces forearm and wrist pronation (rotating the wrist and forearm in a counterclockwise direction) which can lead to carpal tunnel syndrome

Palm rest reduces the discomfort of dragging a mouse across a hard surface

Available in three sizes for small, medium and large hands

Please Read:

Your Working Environment Could Affect Performance:

Don't use on metal surface: The V638 mouse's optical sensor can operate on glass, wood and plastic but may not work correctly on metallic surfaces

For best results, the mouse should be at least 8 inches (20cm) away from the computer or other electronic devices

However, the farther the mouse is from the computer, the greater the possibility for signal interference from nearby electronic equipment

A mouse pad is recommended for users who will be operating the mouse on glass or rubber surfaces

Troubleshooting Tips:

If you experience problems while using the mouse, here are some helpful troubleshooting tips:

Check that the power switch is in the ON position

Check that the battery is charged

Check that the receiver is properly connected to the USB port

Try reducing the distance between the mouse and the computer

Try using the mouse on a different surface material

Remove any large metal objects located between the mouse and computer that could interrupt the signal

You may need more practice to get used to operating the mouse





Scan this QR code using your smartphone to view the full J-Tech Digital Product Lineup!



Have more questions? Scan this QR code using your smartphone to contact us!



www.itechdigital.com

J-Tech Digital®
12803 Park One Drive
Sugarland, TX 77478

Product pictures are for reference only.

Specifications, pictures & software described herein are subject to change without prior notification.

Only use the provided power supply when operating this unit. J-Tech Digital® is not responsible for any damage due to customer neglect. All trademarks are the sole property of their respective companies. Copyright ©J-Tech Digital, Inc. All rights reserved.